

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... Aug. 22, 1977

Returned to applicant for correction..... APR 28 1978

Corrected application filed..... JUN 16 1978

Map filed..... JUN 16 1978

The applicant..... Jean M. Gray

2115 E. Ogden, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89101, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... Underground
Name of stream, lake or other source.

2. The amount of water applied for is..... 2.7..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Irrigation and domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)..... 160 acres

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: U.S.C. & G.S. bench mark
S162 on a bearing of N 06° 41' 13" E. This well site is in unsurveyed
land but is projected to be in NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of section 25, Township 11

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
South, Range 65 East. See attached sheet for distances and bearings
it should be stated. from bench mark S162 to nearest section corner.

6. Place of use. - See attached metes and bounds description - This land is
Describe by legal subdivision, if on unsurveyed land it should be so stated.

unsurveyed but the probable 40 acre subdivisions are shown on the
accompanying map. The metes and bounds description includes portion of:

NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of section 30, Township 11 South, Range 66 East, NE $\frac{1}{4}$ of SW $\frac{1}{4}$,
NW $\frac{1}{4}$ of SE $\frac{1}{4}$, NE $\frac{1}{4}$ of SE $\frac{1}{4}$, SE $\frac{1}{4}$ of SW $\frac{1}{4}$, SW $\frac{1}{4}$ of SE $\frac{1}{4}$, and the SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of
section 25, Township 11 South, Range 65 East.

7. Use will begin about January 1st and end about December 31st of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Drilled Well, pump, motor and
irrigation system.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$15,000.....
10. Estimated time required to construct works.....3 years.....
11. Estimated time required to complete the application to beneficial use.....5 years.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Carey Act

Notarized on August 17, 1977 by Peggy J. Stevens

Applicant s/ Jean M. Gray

By.....

Compared.....LP/ha.....bc/.....

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ^{deny}~~grant~~ the same, subject to the following limitations and conditions:

Application denied on the grounds that this appropriation of underground water for irrigation would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....


Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No.....Issued.....
Recorded.....Bk.....Page.....
County Recorder


IN TESTIMONY WHEREOF, I, PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 29th day of NOVEMBER

A.D. 19 82

State Engineer

5. U.S.C. & G.S. bench mark S162 is located in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 1, Township 12 South, Range 65 East. Bench mark S162 is 13,283.87 feet from the U.S.G.S. triangulation station at "Rox" on a bearing of N 07° 36' 27" W. The "Rox" station is 7,264.16 feet from a 2" by 2" hub and tack set on the section line between sections 19 and 20 in Township 12 South, Range 66 East. The bearing from "Rox" to said hub is S 36° 38' 48" E. It is 1,122.06 feet to the common corner of sections 19, 20, 29 and 30, Township 12 South, Range 66 East. The bearing from the hub to said section corner is S 0° 34' 42" E.

6. The following legal description is of a parcel of unsurveyed land located in Lincoln County, Nevada. The point of beginning is projected from the U.S.C. & G.S. triangulation bench mark S162. Bench mark S162 is located at North latitude 36° 55' 25.884" and West longitude 114° 39' 28.127" in Section 1, Township 12 South, Range 65 East.

Beginning at a point 8,300 feet from bench mark S162 and on a bearing from said bench mark of N 10° 26' 24" E; then turning West on a bearing of S 89° 26' 24" W for a distance of 3,075 feet; then turning North on a bearing of N 03° 28' 23" E for a distance of 1,982.26 feet; then turning East on a bearing of N 89° 26' 24" E for a distance of 3,900 feet; then turning Southwest for a distance of 2,200 feet to the original point of beginning on a bearing of S 25° 26' 24" W.


Jean M. Gray